Attachment E

U.S. DEPARTMENT OF AGRICULTURE FOOD SAFETY AND INSPECTION SERVICE INTERNATIONAL PROGRAMS 11/29/2001

NAME OF FOREIGN LABORATORY

Veterinary Services Division

FOREIGN COUNTRY LABORATORY REVIEW

CITY & COUNTRY

NAME OF FOREIGN OFFICIAL

ADDRESS OF LABORATORY

Dept. of Agriculture & Rural Development

Belfast, Northern Ireland

Stony Road, Stormont

NAME OF REVIEWER

FOREIGN GOV'T AGENCY

Dr. Gary D. Bolstad

Dr. Glenn Kennedy, Dr. Robert Huey

	Dr. Gary D. Bolstad							r. Gler		,,,,	,		 	
	Residue Code/Name	e 🕨	-	abc	cap	hor	des	cbd	ivm	bınz	ß-ag			1
	REVIEW ITEMS Sample Handling	01		A	A	A	A	A	A	A	A			
OURES	Sampling Frequency	02	02 3 03 NO 04 PA 05	A	A	A	A	A	A	A	A			
SAMPLING PROCEDURES	Timely Analyses	03		A	A	A	A	A	A	A	A			ļ
	Compositing Procedure	04		0	o	o	o	o	o	0	o			
SAN	Interpret Comp Data	05		0	О	0	0	0	o	0	o		 :	· !
	Data Reporting	06		A	A	A	A	A	A	A	A			1
	Acceptable Method	07 w	A	A	A	A	A	A	A	A				
TICAL	Correct Tissue(s)	08	NOL	A	kid	urine	bile	liver	liver	liver	retina liver		i	
ANALYTICAL PROCEDURES	Equipment Operation	09		A	A	A	A	A	A	A	A			
	Instrument Printouts	10	2	A	A	A	A	A	A	A	A			
	Minimum Detection Levels	11		A	A	A	A	3 ppb	A	A	A			
ice CE	Recovery Frequency	12	۳	A	A	- A	A	A	A	A	A	l		
URAN	Percent Recovery	13	CODE		A	A	A	>60	80	86	60-90			
QUALITY ASSURANCE PROCEDURES	Check Sample Frequency	14	ALUATION	A	A	c	A	A	A	A	A			
PRO	All analyst w/Check Samples	15	EVALU	A	A	c	A	A	A	A	A			
ð	Corrective Actions	16		A	A	A	A	A	A	A	A			
	International Check Samples	17		A	A	A	A	A	A	A	A			
REVIEW PROCEDURES	Corrected Prior Deficiencies	18	FVAL CODE	A	A	A	A	A	A	A	A			
OTHER REVIEW		19	2005											
OT REJ		20	1479	1406									i	

FORE		INTRY LABORATOR	Y REVIEW	11/29/2001	NAME OF FOREIGN LABORATORY Veterinary Services Division
	1	Comment Sheet)		11/25/2001	Veterinary Services Sivision
FOREIGN GO	OV'T AGEN	CY	CITY & COUNTRY	<u> </u>	ADDRESS OF LABORATORY
Dept. of A	griculture	& Rural Development	Belfast, Nort	hern Ireland	Stony Road, Stormont
NAME OF R	EVIEWER	Dr. Gary D. Bolstad	NAME OF FOREIGN		Dr. Glenn Kennedy, Dr. Robert Huey
RESIDUE CODES	ITEM NO.			COMN	MENTS
des	14-15	expected to be imple	mented within the written corrective a	next several mon	der development and nearing completion, and was this. Positive and negative controls were run with each imployed in the event that an analyst did not get the

Attachment E NAME OF FOREIGN LABORATORY U.S. DEPARTMENT OF AGRICULTURE **REVIEW DATE** FOOD SAFETY AND INSPECTION SERVICE INTERNATIONAL PROGRAMS 12/6/01 **DARDNI Food Chemistry Analytical Unit** FOREIGN COUNTRY LABORATORY REVIEW ADDRESS OF LABORATORY CITY & COUNTRY FOREIGN GOV'T AGENCY Dept. of Ag. and Rural Development Belfast, Northern Ireland Newforge Lane, Belfast BT9 5PX (Northern Ireland) NAME OF FOREIGN OFFICIAL NAME OF REVIEWER Dr. Robert Huey, Dr. Sam Mitchell Dr. Gary D. Bolstad che op hm Residue Code/Name

Residue Code/Name					op	11111	1	ļ						
	REVIEW ITEMS	ITEM #												ĺ
	Sample Handling	01	CODE	A	A	A							! ! •	
OURES	Sampling Frequency	02 u		A	A	A]	
SAMPLING PROCEDURES	Timely Analyses	03	TION CC	С	A	A		!						
APLING	Compositing Procedure	04		0	o	o				 			1	
SAR	Interpret Comp Data	05		o	0	O								
	Data Reporting	06	06		A	A								
ى ∟	Acceptable Method	07	CODE	A	A	A				 	ļ 			
rTICAI	Correct Tissue(s)	08	EVALUATION C	A	A	A							<u> </u>	
ANALYTICAL PROCEDURES	Equipment Operation	09		A	A	A								
	Instrument Printouts	10		A	A	A								
	Minimum Detection Levels		ALUATION CODE	A	A	С					ļ			
SCE E	Recovery Frequency			A	A	A					<u> </u>			ļ
URAI	Percent Recovery				A	A					ļ	-	ļ	
QUALITY ASSURANCE PROCEDURES	Check Sample Frequency	14		A	A	A	ļ				ļ		J	<u> </u>
ALIT	All analyst w/Check Samples	15		A	A	A			ļ		ļ		-	<u> </u>
9	Corrective Actions	16	Ē	, c	c	С	ļ				ļ		<u> </u>	
	International Check Samples	17		A	A	A								
REVIEW	Corrected Prior Deficiencies	18	1000	3	0	o						:		
ER S	i	19		C	C	С								
OTHER	!	20		EVAL										

SIGNATURE OF REVIEWER

FOID FORM OF 00 4 10 1001

DATE

FORFI	GN COU	INTRY LABORATOR	Y REVIEW	REVIEW DATE	NAME OF FOREIGN LABORATORY					
101121		Comment Sheet)		12/6/01	DARDNI Food Chemistry Analytical Unit					
FOREIGN GOV Dept. of Ag (Northern Ir	and Rur	CY al Development	CITY & COUNTRY Belfast, Non	hern Ireland	ADDRESS OF LABORATORY Newforge Lane, Belfast BT9 5PX					
NAME OF RE		D. Bolstad	NAME OF FOREIGN OFFICIAL Dr. Robert Huey, Dr. Sam Mitchell							
RESIDUE CODES	ITEM NO.			COMM	MENTS					
СНС,ОР	03	Į.	ound times for ches and ops ranged up to two months. Dr. Mitchell indicated he would make an effort the turnaround times.							
нм	11	lead: 70 ppb, cadmit	ım 10 ppb. No tes	ting for arsenic o	or mercury. clic 10 ppb, op 50 ppb					
СНС	13	recoveries: chc - 60-	80% (FSIS expects	s 80%)						
All	16	Documentation of corrective actions was provided, but there was very little formal written description of actions to be taken in the event that an analyst's performance did not meet expected standards.								
СНС,ОР	19	Standards that had expired (several expiration dates of 1999, 1998, and one of 1994 were observed) were still being used for new standard solutions. All new standard solutions were checked, however by mass-spectrometry for purity and stability and compared with old standard solutions before being used. Expiration dates of the parent standards were not noted on the log sheets for the preparation of the stock solutions. This policy satisfied the written requirements of the laboratory's quality assurance program.								
All	19	The standards books were loose-leaf, and pages were not numbered. Information on the sheets was complete, except that the stock solution sheets for heavy metals lacked the countersignature of the supervisor and the instrument printouts for ches and ops lacked the signature of the operator.								
		1			igible to export to the United States at the time of this ablishments in Northern Ireland had been exported to the					